

 **ECO**





ECO

CONTENT

NIKLES ECO **2**

Nikles ECO 2-3

FAUCET **4**

Basin Faucet Architect Eco Chrome 4-5

HAND SHOWERS **6**

Avanti 120 Eco hand showers 6-7

Nova 120 Eco hand showers 8-10

KIT HAND SHOWER + HOSE **12**

Kit Avanti 120 Eco hand showers 12

Kit Nova 120 Eco hand shower 13

SHOWER HEADS **14**

Dropless Eco shower heads 14-15

Piano Eco shower heads 16-17



NIKLES ECO

SAVE WATER AND ENERGY

WITH THE COMFORT OF A FULL SHOWER SPRAY



NIKLES is committed to ecologically and economically sound water saving practices.

The newly launched ECO line by NIKLES sets a benchmark in water saving technology: ECO showers make water saving an easy task:

Only using 6 liters per minute.

ECO showers reduce water usage of an average shower by two thirds - while assuring a great shower comfort.

Innovative technologies developed by NIKLES are the answer to a worldwide demand for water saving shower systems.


Enormous amounts of water are used by the world's population for personal hygiene and other consumption – water becomes a much more essential and valuable resource.

Considerable energy and much technology and infrastructure is necessary to treat and distribute clean water.


NIKLES strives to make a positive contribution to an optimized energy footprint which is substantially influenced by water heating resources.

As of to date most energy is from fossil fuel sources that are by far not CO2 neutral. **Use an NIKLES ECO shower and make your contribution to an improved CO2 balance sheet. The ECO shower line by NIKLES offers a considerable water saving potential.**

Our 6 liter per minute showers achieve a water reduction of 50%. Savings in water and costs for developments with high water consumption such as Hotels or Sports venues are substantial when installing NIKLES ECO showers.



COMPARISON FLOW RATE



NIKLES FAUCET

PACKED WITH INNOVATIVE TECHNOLOGY



NIKLES CONTROL HANDLE

With the ergonomic control handle you control your suitable water temperature. Every handle is tested for sturdiness to avoid loose and shaky operation during its lifespan.

HIGH PERFORMANCE CARTRIDGE

The 35 mm ceramic cartridge ensures high performance in low- and high-pressure conditions. The longevity is tested in a 500'000-cycle test and the ceramic disks brush away any debris between the disk for smooth handle operation at all times.



NIKLES ECO


Nikles 6 l/min flow limiter is comply with water regulations and is tested during manufacturing to assure the best performance without compromising the comfort and to maximize the efficiency.

APPROVED MATERIALS

Nikles Faucets are designed with safety in mind. Water pass trough only approved material in according with worldwide water regulations. No contamination of lead and nickel in water.

THERMO INSULATION


Insulated body prevent scalding and accumulation of residues. This saves you much cleaning time and the use of harsh chemicals.



**BASIN FAUCET
ARCHITECT ECO CHROME**
FBA.01.001.05EN



- Aerator spray
- Spout projection 90 mm
- Spout height 120 mm
- **Flow rate: 6 l/min**
- With drainage
- Connection hose length 400 mm
- Chrome



AVANTI 120



TECHNICAL INFO

Flow rate (3 bar):
6 l/min

Operating pressure:
0,5 - 5 bar

Spray force:
85 g

Spray coverage:
(max body coverage)
15°



NIKLES ECO 6 L/MIN



ROUNDED SOFT CURVES




MIRROR CHROME FINISH



NIKLES EASY TO CLEAN




NIKLES CLICK POSITION BUTTON



HAND SHOWER
AVANTI ROUND 120 UNO ECO CHROME
BS2505EN




- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- Nikles "Easy-to-Clean" technology
- Chrome



HAND SHOWER
AVANTI ROUND 120 3S SWIRL ECO CHROME
BS2505QSEN




- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- New Nikles click position button with 3 function sprays:
Rain (1), Massage (2) and Swirl spray (3)
- Nikles "Easy-to-Clean" technology
- Chrome



HAND SHOWER
AVANTI SQUARE 120 UNO ECO CHROME
BS2605EN



- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- Nikles "Easy-to-Clean" technology
- Chrome



HAND SHOWER
AVANTI SQUARE 120 3S SWIRL ECO CHROME
BS2605QSEN



- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- New Nikles click position button with 3 function sprays:
Rain (1), Massage (2) and Swirl spray (3)
- Nikles "Easy-to-Clean" technology
- Chrome

NOVA 120



TECHNICAL INFO

Flow rate (3 bar):
6 l/min

Operating pressure:
0,5 - 5 bar

Spray force:
85 g

Spray coverage:
(max body coverage)
15°



NIKLES ECO 6 L/MIN



ROUNDED SOFT CURVES




MIRROR CHROME FINISH



NIKLES EASY TO CLEAN




NIKLES CLICK POSITION BUTTON



HAND SHOWER
NOVA ROUND 120 UNO ECO CHROME
BS4005EN




- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- Chrome



HAND SHOWER
NOVA ROUND 120 3S SILK ECO CHROME
BS4005QTEN




- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- New Nikles click position button with 3 function sprays:
Rain ①, Silk ② and comfort Rain with Silk ③
- Energy saving
- Chrome



HAND SHOWER
NOVA SQUARE 120 UNO ECO CHROME
BS4105EN



- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- Chrome



HAND SHOWER
NOVA SQUARE 120 3S SILK ECO CHROME
BS4105QTEN



- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- New Nikles click position button with 3 function sprays:
Rain ①, Silk ② and comfort Rain with Silk ③
- Energy saving
- Chrome

NOVA ROUND 120 3S SWIRL



HAND SHOWER
NOVA ROUND 120 3S SWIRL ECO CHROME
BS4205QSEN



- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- New Nikles click position button with 3 function sprays: Rain ①, Massage ② and Swirl spray ③
- Nikles "Easy-to-Clean" technology
- Energy saving
- Chrome



TECHNICAL INFO

Flow rate (3 bar):
6 l/min

Operating pressure:
0,5 - 5 bar

Spray force:
85 g

Spray coverage:
(max body coverage)
15°



NIKLES ECO 6 L/MIN



ROUNDED SOFT CURVES



MIRROR CHROME FINISH




NIKLES EASY TO CLEAN



NIKLES CLICK POSITION BUTTON



NIKLES SPRAYS




NIKLES RAIN SPRAY

A delicate wide spray for full body coverage. **NIKLES RAIN** is focused for best balancing results between rinsing, comfort and consumption. Available for all Nikles showers in single and double functions.




NIKLES MASSAGE SPRAY

Switch to wellness! Enjoy the powerful massaging shower spray that exhilarates the body and awakens the senses. **NIKLES MASSAGE** creates the sensation of a full shower regardless of the water pressure.



NIKLES SILK SPRAY

Imagine a spray as soft as silk caressing your skin. With the sensation of a light summer rain, the new **NIKLES SILK** shower allows you to feel relaxed and rejuvenated. Avoiding limescale buildup in the shower head keeps the system working at maximum efficiency.



NIKLES SWIRL SPRAY

The new non-cloggable **NIKLES SWIRL SPRAY** technology exhilarates your body. The spiraling hollow spray massages your skin in a circular motion with a feeling of a rejuvenating waterfall.





KIT
AVANTI ROUND 120 3S SWIRL ECO CHROME
 A70.000.64W.05EN



HAND SHOWER

- Avanti Round 120 3S Swirl ECO Chrome
- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- New Nikles click position button with 3 function sprays: Rain, Massage and Swirl spray
- Nikles "Easy-to-Clean" technology

HOSE

- Nikles S06 Chromoflex
- Ø 8,5 x 14,8 mm
- 150 cm length
- Fixed and swivel connections
- Silver



KIT
AVANTI SQUARE 120 3S SWIRL ECO CHROME
 A70.000.65W.05EN



HAND SHOWER

- Avanti Square 120 3S Swirl ECO Chrome
- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- New Nikles click position button with 3 function sprays: Rain, Massage and Swirl spray
- Nikles "Easy-to-Clean" technology

HOSE

- Nikles S06 Chromoflex
- Ø 8,5 x 14,8 mm
- 150 cm length
- Fixed and swivel connections
- Silver



KIT
NOVA ROUND 120 3S SWIRL ECO CHROME
A70.000.59W.05EN



HAND SHOWER

- Nova Round 120 3S Swirl ECO Chrome
- Minimalistic, timeless, clean design
- Rounded edges
- Design chrome spray plate
- Ø 120 mm
- **Flow rate: 6 l/min**
- Energy saving
- New Nikles click position button with 3 function sprays:
Rain, Massage and Swirl spray
- Nikles "Easy-to-Clean" technology

HOSE

- Nikles S06 Chromoflex
- Ø 8,5 x 14,8 mm
- 150 cm length
- Fixed and swivel connections
- Silver




NIKLES DROPLESS

The patented Nikles technology "Dropless" drains the remaining water completely from the shower head within 60 seconds




After shutting off the water, the remaining water completely drains from the Dropless shower head.


This enables the system to avoid bacteria build up within the shower head. The quick removal of all remaining water reduces the possibility of limescale buildup inside the shower head and nozzles.



WATER ON - The shower head works normally



WATER OFF - The AIR pass through the Nikles Dropless valve and completely drains the shower head.







SHOWER HEAD
ROUND 250 DROPLESS ECO CHROME
DE0105EN




- Timeless, organic design
- Ø 250 mm
- Dropless function
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Adjustable



SHOWER HEAD
SQUARE 250 DROPLESS ECO CHROME
DE0205EN





- Timeless, organic design
- 250 x 250 mm
- Dropless function
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Adjustable



SHOWER HEAD
AVANTI ROUND 250 DROPLESS ECO CHROME
DE0505EN




- Timeless, organic design
- Ø 250 mm
- Dropless function
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Adjustable



SHOWER HEAD
AVANTI QUADRO 250 DROPLESS ECO CHROME
DE0605EN



- Timeless, organic design
- 250 x 250 mm
- Dropless function
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Adjustable






SHOWER HEAD
PIANO ROUND 250 ECO CHROME
BP250T05EN




- Ultra flat design
- Minimalistic, timeless, clean design
- Ø 250 mm
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Highly gloss stainless steel
- Adjustable



SHOWER HEAD
PIANO ROUND 250 WATERSENSE ECO CHROME
BPW250T05EN




- Ultra flat design
- Minimalistic, timeless, clean design
- Ø 250 mm
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Highly gloss stainless steel
- Adjustable



SHOWER HEAD
PIANO SQUARE 250 ECO CHROME
BP250Q05EN




- Ultra flat design
- Minimalistic, timeless, clean design
- 250 x 250 mm
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Highly gloss stainless steel
- Adjustable




SHOWER HEAD
PIANO SQUARE 250 WATERSENSE ECO CHROME
BPW250Q05EN



- Ultra flat design
- Minimalistic, timeless, clean design
- 250 x 250 mm
- Nikles "Easy-to-Clean" technology
- **Flow rate: 6 l/min**
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Highly gloss stainless steel
- Adjustable






NIKLES ECO

SAVE WATER AND ENERGY

WITH THE COMFORT OF A FULL SHOWER SPRAY



©

Nikles Group

2022

Model -, range - and technical changes and errors expected

